Engineers • Constructors • Scientists


WETLAND DELINEATION REPORT

SHAFFER EQUIPMENT - MINDEN FAYETTE COUNTY, WEST VIRGINIA

Prepared for

WESTON SOLUTIONS, INC. 1400 Weston Way West Chester, PA 19380

Project No. C18-214-2276, Task 3 June 13, 2018



1.0 PURPOSE

, on behalf of our client, Weston Solutions, Inc. (Weston), has prepared this Wetland Delineation Report to document existing wetland resources within the area defined by Weston associated with the Shafer Equipment site boundary and the surrounding areas of Arbuckle Creek (Project AOI). The purpose of this report is to identify potential "Waters of the United States (WoUS)," (wetland resources only) which will assist Weston Solutions with planning and permitting requirements.

and Weston Solutions acknowledge that jurisdictional determinations are solely made by the United States Army Corps of Engineers (USACE) and have prepared this report accordingly. The wetlands have also been evaluated for eligibility as wetlands using the United States Environmental Protection Agency's Hazard Ranking System (HRS).

2.0 INTRODUCTION

Weston, a contractor for the United States Environmental Protection Agency (EPA), is providing services associated with polychlorinated biphenyls (PCB) contamination at the Shafer Equipment Site (Shafer). Shafer built electrical mining equipment and provided equipment maintenance; oil used in equipment was contaminated with PCBs and disposed of at an abandoned mine site. Weston is utilizing the EPA's HRS, which will assess the relative potential of a site to pose human health or environmental threats. As part of the analysis, a wetland delineation is required.

The Project AOI is located adjacent to Minden in Fayette County, West Virginia (*Appendix A*, *Drawing No. C18-214-A1*). The site is located within the Thurmond (West Virginia) USGS quadrangle. Photos representative of on-site conditions are provided in *Appendix B*. completed wetland delineations on May 15-16, 2018. Seven (7) wetlands were identified within the Project AOI.

3.0 METHODS

3.1 Preliminary Desktop Review

Secondary source information, including: Unites States Geological Survey (USGS) topographic mapping (1976), Natural Resources Conservation Service (NRCS) soil survey mapping (2018), West Virginia Statewide Addressing and Mapping (SAMB, 2003), United States Fish and Wildlife NWI mapping (2013), United States Geological Survey (USGS) National Hydrography Data (NHD), and aerial mapping were evaluated prior to the field investigation to determine probable aquatic resource locations (*Appendix A, Drawing No. C18-214-A3*).

3.2 Stream and Wetland Delineation

staff performed a walkover of the Project AOI and identified existing wetland resources. Field data points were collected utilizing a Trimble Geo7x submeter handheld global positioning system (GPS) unit. Wetland data test points and wetland boundary data were collected. Photos and data notes documenting site conditions were taken/recorded. Wetlands were classified using the Cowardin Classification System (1979). Soils were collected with a soil



auger and identified by referencing the Munsell Soil Color Charts (2012). Vegetation indicator status was obtained from the most current national wetland plant list (Lichvar et. al., 2016). Field data are then mapped using ArcMap 10.3.1.

Wetlands were identified/delineated utilizing methodology outlined by the USACE Wetlands Delineation Manual (1987) and the USACE Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Eastern Mountains and Piedmont Region (Version 2.0) (2012). The technical definition of a jurisdictional wetland, per the USACE and United States Environmental Protection Agency (USEPA) is: "Those areas that are inundated or saturated by surface or groundwater at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions" (40 CFR 230.3). The HRS also utilizes this definition of a wetland. Standardized indicators for hydrology, soils, and vegetation were evaluated to determine if areas within the LOD met the technical criteria for classification as a wetland. Data points were collected in areas which exhibited hydrology and/or hydrophytic vegetation indicators to determine if soils were hydric, and possibly wetlands, and also in areas delineated outside established wetland boundaries (uplands).

4.0 RESULTS

4.1 Physical Characteristics and Land Use

The Project AOI is situated east of Oak Hill, West Virginia near the town of Minden (*Appendix B, Photo Pages*). The areas adjacent to Arbuckle Creek are mainly residential, with easy access via existing roads, with some areas having forested cover.

4.2 Drainage and Topography

The Project AOI is located within the Manns Creek – New River watershed (HUC 12: 0505000040303) which is within the Lower New watershed (HUC 05050004). The Project AOI is located inside the FEMA 100-year floodplain (Flood Zone A) (*Appendix A, Drawing No. C18-214-A3*).

4.3 Soils

The soils within the AOI consist of four (4) mapped soil types (Appendix A, Drawing No. C18-214-A2; Appendix C, Table 1; Appendix D, Soil Report).

4.4 Weather Conditions

Records indicated that the surrounding area received the following amount of precipitation (Weather Underground, 2018):

- May 12-14, 2018 (72 hours prior to site visit): 0.00 inch; and
- May 15-16, 2018 (site visit): 0.35 inch.



Weather conditions during the site visit were variable, with highs in the mid-80s (°F) and lows in the high 60s (°F).

4.5 Stream and Wetland Resources

Field investigations were completed May 15-16, 2018 by staff. staff. identified seven (7) wetlands within the Project AOI (Appendix A, Drawing No. C18-214-B1). Wetland characteristic data are provided in Appendix E, Wetland Data Forms. Wetlands identified were dominated by hydrophytic vegetation and had hydric soils. The wetlands meet the criteria for HRS eligibility per the 40 CFR 230.3 definition. The wetlands are considered palustrine emergent (PEM) wetlands.

Wetland lengths, as measured from the upstream boundary point adjacent to Arbuckle Creek to the downstream boundary point adjacent to Arbuckle Creek, are included in *Appendix A*, *Drawing No. C18-214-B1*. A total of 2,287 linear feet of wetlands were identified adjacent to Arbuckle Creek. *Please note that Wetland 7 and Wetland 11, as illustrated in the photos (Appendix B) were located outside the Project AOI.*

PLEASE NOTE THAT NOT ALL PROPERTIES ADJACENT TO ARBUCKLE CREEK WITHIN THE PROJECT AOI WERE ACCESSIBLE DURING THE SITE VISIT (NO LANDOWNER PERMISSION). These areas were viewed from the nearest public access point, but detailed surveys were not able to be completed.

5.0 DISCUSSION

Wetland resources are located adjacent to Arbuckle Creek. County, state, and federal permits may be required, if construction is proposed for the area and if stream and/or wetland impacts are proposed. Permits that may be required include: USACE nationwide or individual 404 permit, WVDEP 401 permit, West Virginia Division of Natural Resources (WVDNR) Office of Land and Streams (OLS) stream activity permit, county floodplain permit, and Section 7/Section 106 agency consultations.

5.1 Potential Federal and/or State Jurisdiction

Seven (7) wetland resources were identified adjacent to Arbuckle Creek and are potentially jurisdictional waters of the United States (WoUS).

Final jurisdictional determinations will need to be made by the USACE, either via a preliminary jurisdictional determination or an approved jurisdictional determination, should activities be proposed that would impact the identified water resources. If the USACE determines water resources to be federally non-jurisdictional, the WVDEP will need contacted so that they may determine if the federally non-jurisdictional resources are "waters of the state." The 2015 WoUS Rule was reviewed by the USEPA and USACE per an Executive Order issued in February 2017. Based on that review, the agencies finalized the rule, adding an applicability date to the 2015 rule defining WoUS. The 2015 Rule will not be applicable until February 6, 2020. The 1986/1988 regulatory definition of WoUS, implemented with subsequent decision and guidance



WETLAND DELINEATION REPORT WESTON SOLUTIONS – SHAFFER EQUIPMENT MINDEN


documents, is currently in effect until that date. Impacts to federal and/or state jurisdictional water resources will require the appropriate federal and/or state agency consultations and permits.



6.0 CLOSING

Alliance has based the findings of this report on professional training and experience and on current regulatory guidance and requirements. This report has been prepared as due diligence to determine potentially jurisdictional wetland resources in the Project AOI defined by Weston. The scope of this report is limited to the project and location described herein and represents our understanding of the project and existing on-site conditions and features. Changes to the proposed limits of disturbance may require additional field reviews. Alliance should be notified of proposed project changes, to allow for re-examination of site conditions and for modification/revision to the conclusions and recommendations in the report. Weston is reminded that this delineation is preliminary; the delineation is not final until the USACE verifies the jurisdictional determination and Weston receives confirmation from the USACE regarding wetland resource boundaries.

Sincerely,



Staff Scientist



Senior Scientist

BB/PFO:bb/kis

Enclosures



7.0 REFERENCES CITED

- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979, reprinted 1992. *Classification of Wetlands and Deepwater Habitats of the United States*. Technical Report FWS/OBS-79/31. U.S. Department of the Interior, Fish and Wildlife Service, Office of Biological Services, Washington, DC. Modified for National Wetlands Inventory Mapping Convention.
- Environmental Laboratory. 1987. Corps of Engineers Wetlands Delineation Manual. Technical Report Y-87-1. United States Army Engineers, Waterways Experiment Station, Vicksburg, Mississippi.
- Environmental Laboratory. 2012. Regional Supplement to the Corps of Engineers Wetland Delineation Manual: Eastern Mountains and Piedmont Region (Version 2.0). Wetlands Regulatory Assistance Program ERDC/EL TR-12-9. United States Army Corps of Engineers, Research and Development Center, Vicksburg, Mississippi.
- Lichvar, R.W., D.L. Banks, W.N. Kirchner, and N.C. Melvin. 2016. *The National Wetland Plant List*: 2016 wetland ratings. Phytoneuron 2016-30: 1-17. Published 28 April 2016. ISSN 2153 733X. (State of West Virginia 2016 Wetland Plant List).
- Munsell, 2012. *Munsell Soil Color Charts*. Munsell Color Company, Grand Rapids, Michigan. 50 pp.
- USFWS. 2013. National Wetlands Inventory, U.S. Department of the Interior. Madison, WI. http://www.fws.gov/wetlands/Data/Metadata.html. Accessed May 2018.
- United States Geological Survey (USGS). 1960 and revised/inspected 1976. Topographical quadrangle map (7.5 minute series). Littleton, WV quadrangle. Denver, Colorado.
- Soil Survey Staff, Natural Resources Conservation Service, United States Department of Agriculture. 2018. Web Soil Survey. Available online at https://websoilsurvey.sc.egov.usda.gov/. Accessed May 25, 2018.
- Statewide Addressing and Mapping Board (SAMB) and West Virginia GIS Technical Center. 2003. West Virginia Statewide Digital Elevation Models. Rolla, MO. http://wvgis.wvu.edu/data/dataset.php?ID=265. Accessed May 2018.
- Weather Underground, 2018. History for Oak Hill, WV (KWVOAKHI3). Available online

Accessed June 5, 2018.

West Virginia Flood Tool. 2018. Available online at: https://www.mapwv.gov/flood/map/. Accessed May 2018.



8.0 LIST OF PREPARERS

, B.S. – Staff Scientist


is a Staff Scientist with He attended Frostburg State University where he graduated with a Wildlife and Fisheries degree in 2016. He has received extensive training in the use of the 1987 Army Corps of Engineers Wetland Delineation Manual from the Swamp School, 2015, as well as in the field training with staff. He has experience with the Eastern Mountain and Piedmont Regional Supplement, as well as the Midwest Regional Supplement.


, M.S. – Senior Scientist/Office Manager
is a Senior Scientist with she received both her B.S. and M.S. degrees in the Biological Sciences. has over 16 years' experience as an environmental consultant, and 6+ years of stream and wetland delineation experience. She has been Swamp School (2012) trained in the use of the 1987 Army Corps of Engineers Wetland Delineation Manual and the Eastern Mountains and Piedmont Regional Supplement (Version 2).





APPENDIX A DRAWINGS/MAPPING












APPENDIX B PHOTO PAGES





1. Wetland 1 Overview



2. Wetland 1 Overview





3. Wetland 1 Overview



4. Wetland 1 Overview





5. Wetland 1 Overview



6. Wetland 1 Overview






7. Wetland 1 Soils



8. Wetland 1 Soils





9. Wetland B Overview



10. Wetland B Overview





11. Wetland B Soils



12. Wetland C Overview





13. Wetland C Overview



14. Wetland C Overview





15. Wetland 4 Overview



16. Wetland 4 Overview





17. Wetland 4 Overview




18. Wetland 4 Overview; Wetland 10 in Background





19. Wetland 5 Overview



20. Wetland 5 Overview





21. Wetland 5 Overview



22. Wetland 5 Overview





23. Wetland 6 Overview



24. Wetland 6 Overview





25. Wetland 6 Overview



26. Wetland 6 Overview





27. Wetland 7 (Not Formally Delineated)



28. Wetland 7 (Not Formally Delineated)





29. Wetland 7 (Not Formally Delineated)



30. Wetland 7 (Not Formally Delineated)





31. Wetland 10 Overview



32. Wetland 10 Overview





33. Wetland 10 Overview



34. Wetland 10 Soils





35. Wetland 11 (Not Formally Delineated)



36. Wetland 11 (Not Formally Delineated)



APPENDIX C

TABLES



TABLE 1
Site Soil Descriptions (Soil Survey Staff, 2018)
Shaffer Equipment - Minden Wetland Delineation
Fayette County, West Virginia

Map Symbol	Soil Name	Landform(s)	Hydrologic Soil Group	Drainage Class	Frequency of Flooding	Frequency of Ponding
AtA	Atkins loam, warm, 0 to 3 percent slopes, frequently flooded	Floodplain	C/D	Poorly drained	Frequent	Occasional
CtB	Cotaco loam, 3 to 8 percent slopes	Stream Terraces	С	Moderately well drained	None	None
LeF	Layland-Dekalb-Guyandotte complex, 35 to 70 percent slopes, extremely stony	Mountain Slopes	В	Well drained	None	None
LhE	Layland-Laidig complex, 15 to 35 percent slopes, rubbly	Mountain Slopes	В	Well drained	None	None

APPENDIX D

SOIL REPORT






NRCS

Natural Resources Conservation Service A product of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local participants

Custom Soil Resource Report for Fayette and Raleigh Counties Area, West Virginia

Minden Delineation



Preface

Soil surveys contain information that affects land use planning in survey areas. They highlight soil limitations that affect various land uses and provide information about the properties of the soils in the survey areas. Soil surveys are designed for many different users, including farmers, ranchers, foresters, agronomists, urban planners, community officials, engineers, developers, builders, and home buyers. Also, conservationists, teachers, students, and specialists in recreation, waste disposal, and pollution control can use the surveys to help them understand, protect, or enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. Soil surveys identify soil properties that are used in making various land use or land treatment decisions. The information is intended to help the land users identify and reduce the effects of soil limitations on various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Although soil survey information can be used for general farm, local, and wider area planning, onsite investigation is needed to supplement this information in some cases. Examples include soil quality assessments (http://www.nrcs.usda.gov/wps/portal/nrcs/main/soils/health/) and certain conservation and engineering applications. For more detailed information, contact your local USDA Service Center (https://offices.sc.egov.usda.gov/locator/app?agency=nrcs) or your NRCS State Soil Scientist (http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/contactus/?cid=nrcs142p2_053951).

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

The National Cooperative Soil Survey is a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Information about soils is updated periodically. Updated information is available through the NRCS Web Soil Survey, the site for official soil survey information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require

alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Contents

Preface	2
How Soil Surveys Are Made	
Soil Map	
Soil Map	9
Legend	10
Map Unit Legend	
Map Unit Descriptions	12
Fayette and Raleigh Counties Area, West Virginia	14
AtA—Atkins loam, warm, 0 to 3 percent slopes, frequently flooded	14
CtB—Cotaco loam, 3 to 8 percent slopes	15
LeF—Layland-Dekalb-Guyandotte complex, 35 to 70 percent slopes,	
extremely stony	17
LhE—Layland-Laidig complex, 15 to 35 percent slopes, rubbly	20
References	23

How Soil Surveys Are Made

Soil surveys are made to provide information about the soils and miscellaneous areas in a specific area. They include a description of the soils and miscellaneous areas and their location on the landscape and tables that show soil properties and limitations affecting various uses. Soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of bedrock. They observed and described many soil profiles. A soil profile is the sequence of natural layers, or horizons, in a soil. The profile extends from the surface down into the unconsolidated material in which the soil formed or from the surface down to bedrock. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity.

Currently, soils are mapped according to the boundaries of major land resource areas (MLRAs). MLRAs are geographically associated land resource units that share common characteristics related to physiography, geology, climate, water resources, soils, biological resources, and land uses (USDA, 2006). Soil survey areas typically consist of parts of one or more MLRA.

The soils and miscellaneous areas in a survey area occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the area. Each kind of soil and miscellaneous area is associated with a particular kind of landform or with a segment of the landform. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landform, a soil scientist develops a concept, or model, of how they were formed. Thus, during mapping, this model enables the soil scientist to predict with a considerable degree of accuracy the kind of soil or miscellaneous area at a specific location on the landscape.

Commonly, individual soils on the landscape merge into one another as their characteristics gradually change. To construct an accurate soil map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-vegetation-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they studied. They noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for comparison to classify soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil

scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

The objective of soil mapping is not to delineate pure map unit components; the objective is to separate the landscape into landforms or landform segments that have similar use and management requirements. Each map unit is defined by a unique combination of soil components and/or miscellaneous areas in predictable proportions. Some components may be highly contrasting to the other components of the map unit. The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The delineation of such landforms and landform segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

Soil scientists make many field observations in the process of producing a soil map. The frequency of observation is dependent upon several factors, including scale of mapping, intensity of mapping, design of map units, complexity of the landscape, and experience of the soil scientist. Observations are made to test and refine the soil-landscape model and predictions and to verify the classification of the soils at specific locations. Once the soil-landscape model is refined, a significantly smaller number of measurements of individual soil properties are made and recorded. These measurements may include field measurements, such as those for color, depth to bedrock, and texture, and laboratory measurements, such as those for content of sand, silt, clay, salt, and other components. Properties of each soil typically vary from one point to another across the landscape.

Observations for map unit components are aggregated to develop ranges of characteristics for the components. The aggregated values are presented. Direct measurements do not exist for every property presented for every map unit component. Values for some properties are estimated from combinations of other properties.

While a soil survey is in progress, samples of some of the soils in the area generally are collected for laboratory analyses and for engineering tests. Soil scientists interpret the data from these analyses and tests as well as the field-observed characteristics and the soil properties to determine the expected behavior of the soils under different uses. Interpretations for all of the soils are field tested through observation of the soils in different uses and under different levels of management. Some interpretations are modified to fit local conditions, and some new interpretations are developed to meet local needs. Data are assembled from other sources, such as research information, production records, and field experience of specialists. For example, data on crop yields under defined levels of management are assembled from farm records and from field or plot experiments on the same kinds of soil.

Predictions about soil behavior are based not only on soil properties but also on such variables as climate and biological activity. Soil conditions are predictable over long periods of time, but they are not predictable from year to year. For example, soil scientists can predict with a fairly high degree of accuracy that a given soil will have a high water table within certain depths in most years, but they cannot predict that a high water table will always be at a specific level in the soil on a specific date.


After soil scientists located and identified the significant natural bodies of soil in the survey area, they drew the boundaries of these bodies on aerial photographs and

Custom Soil Resource Report

identified each as a specific map unit. Aerial photographs show trees, buildings, fields, roads, and rivers, all of which help in locating boundaries accurately.

Soil Map

The soil map section includes the soil map for the defined area of interest, a list of soil map units on the map and extent of each map unit, and cartographic symbols displayed on the map. Also presented are various metadata about data used to produce the map, and a description of each soil map unit.



MAP LEGEND

Area of Interest (AOI)

Area of Interest (AOI)

Soils

Soil Map Unit Polygons



Soil Map Unit Lines



Soil Map Unit Points

Special Point Features

Blowout





Clay Spot Closed Depression



Gravel Pit

Gravelly Spot

Landfill



Lava Flow



Marsh or swamp



Miscellaneous Water

Perennial Water

Rock Outcrop

Saline Spot

👾 Sandy Spot

Severely Eroded Spot

Sinkhole

Slide or Slip

Sodic Spot

Spoil Area



Stony Spot Very Stony Spot



Wet Spot





Special Line Features

Water Features

Streams and Canals

Transportation



Rails



Interstate Highways



US Routes



Major Roads

Local Roads



Aerial Photography

MAP INFORMATION

The soil surveys that comprise your AOI were mapped at 1:24,000.

Warning: Soil Map may not be valid at this scale.

Enlargement of maps beyond the scale of mapping can cause misunderstanding of the detail of mapping and accuracy of soil line placement. The maps do not show the small areas of contrasting soils that could have been shown at a more detailed scale.

Please rely on the bar scale on each map sheet for map measurements.

Source of Map: Natural Resources Conservation Service Web Soil Survey URL:

Coordinate System: Web Mercator (EPSG:3857)

Maps from the Web Soil Survey are based on the Web Mercator projection, which preserves direction and shape but distorts distance and area. A projection that preserves area, such as the Albers equal-area conic projection, should be used if more accurate calculations of distance or area are required.

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Fayette and Raleigh Counties Area, West

Virginia

Survey Area Data: Version 10, Oct 3, 2017

Soil map units are labeled (as space allows) for map scales 1:50,000 or larger.

Date(s) aerial images were photographed: May 9, 2010—Mar 21, 2017

The orthophoto or other base map on which the soil lines were compiled and digitized probably differs from the background

MAP LEGEND

MAP INFORMATION

imagery displayed on these maps. As a result, some minor shifting of map unit boundaries may be evident.

Map Unit Legend

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI		
AtA	Atkins loam, warm, 0 to 3 percent slopes, frequently flooded	4.7	22.3%		
CtB	Cotaco loam, 3 to 8 percent 5.6 slopes				
LeF	Layland-Dekalb-Guyandotte complex, 35 to 70 percent slopes, extremely stony	1.7	8.0%		
LhE	Layland-Laidig complex, 15 to 35 percent slopes, rubbly	8.9	42.7%		
Totals for Area of Interest		20.9	100.0%		

Map Unit Descriptions

The map units delineated on the detailed soil maps in a soil survey represent the soils or miscellaneous areas in the survey area. The map unit descriptions, along with the maps, can be used to determine the composition and properties of a unit.

A map unit delineation on a soil map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to taxonomic classes other than those of the major soils.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in a particular map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. Some small areas of strongly contrasting soils or miscellaneous areas are identified by a special symbol on the maps. If included in the database for a given area, the contrasting minor components are identified in the map unit descriptions along with some characteristics of each. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans. If intensive use of small areas is planned, however, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives important soil properties and qualities.

Soils that have profiles that are almost alike make up a *soil series*. Except for differences in texture of the surface layer, all the soils of a series have major horizons that are similar in composition, thickness, and arrangement.

Soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil phase commonly indicates a feature that affects use or management. For example, Alpha silt loam, 0 to 2 percent slopes, is a phase of the Alpha series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are complexes, associations, or undifferentiated groups.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Alpha-Beta complex, 0 to 6 percent slopes, is an example.

An association is made up of two or more geographically associated soils or miscellaneous areas that are shown as one unit on the maps. Because of present or anticipated uses of the map units in the survey area, it was not considered practical or necessary to map the soils or miscellaneous areas separately. The pattern and relative proportion of the soils or miscellaneous areas are somewhat similar. Alpha-Beta association, 0 to 2 percent slopes, is an example.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Alpha and Beta soils, 0 to 2 percent slopes, is an example.

Some surveys include *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Rock outcrop is an example.

Fayette and Raleigh Counties Area, West Virginia

AtA—Atkins loam, warm, 0 to 3 percent slopes, frequently flooded

Map Unit Setting

National map unit symbol: 2vxh0 Elevation: 1,580 to 3,260 feet

Mean annual precipitation: 36 to 49 inches Mean annual air temperature: 49 to 53 degrees F

Frost-free period: 136 to 179 days

Farmland classification: Farmland of local importance

Map Unit Composition

Atkins, warm, and similar soils: 70 percent

Minor components: 30 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Atkins, Warm

Setting

Landform: Flood plains

Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Base slope

Down-slope shape: Linear Across-slope shape: Concave

Parent material: Acid fine-loamy alluvium derived from interbedded sedimentary

rock

Typical profile

Oi - 0 to 1 inches: slightly decomposed plant material Oe - 1 to 2 inches: moderately decomposed plant material

A - 2 to 5 inches: loam AB - 5 to 8 inches: loam Bg - 8 to 26 inches: loam

BCg - 26 to 38 inches: silty clay loam Cg - 38 to 80 inches: clay loam

Properties and qualities

Slope: 0 to 3 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Poorly drained

Runoff class: Negligible

Capacity of the most limiting layer to transmit water (Ksat): Moderately low to high

(0.06 to 2.00 in/hr)

Depth to water table: About 0 inches Frequency of flooding: Frequent Frequency of ponding: Occasional

Available water storage in profile: Moderate (about 7.7 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 4w

Hydrologic Soil Group: C/D

Other vegetative classification: Wetlands (W3)

Hydric soil rating: Yes

Minor Components

Knowlton, warm

Percent of map unit: 15 percent

Landform: Terraces

Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Tread

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: Yes

Philo, warm

Percent of map unit: 10 percent

Landform: Flood plains

Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Base slope

Down-slope shape: Linear Across-slope shape: Linear Hydric soil rating: No

Morehead, warm

Percent of map unit: 5 percent

Landform: Terraces

Landform position (three-dimensional): Tread

Down-slope shape: Linear Across-slope shape: Linear

Other vegetative classification: Wetlands (W3)

Hydric soil rating: No

CtB—Cotaco loam, 3 to 8 percent slopes

Map Unit Setting

National map unit symbol: 2nbrp

Mean annual precipitation: 37 to 47 inches Mean annual air temperature: 50 to 52 degrees F

Frost-free period: 140 to 170 days

Farmland classification: All areas are prime farmland

Map Unit Composition

Cotaco and similar soils: 75 percent *Minor components:* 25 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Cotaco

Setting

Landform: Stream terraces

Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Tread

Down-slope shape: Convex

Across-slope shape: Convex

Parent material: Acid loamy alluvium derived from sandstone and shale

Typical profile

Ap - 0 to 9 inches: loam
BA - 9 to 12 inches: loam
Bt1 - 12 to 21 inches: clay loam
Bt2-3 - 21 to 37 inches: loam
BC - 37 to 48 inches: clay loam
Cg - 48 to 65 inches: clay loam

Properties and qualities

Slope: 3 to 8 percent

Depth to restrictive feature: More than 80 inches Natural drainage class: Moderately well drained

Runoff class: Medium

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to

high (0.57 to 1.98 in/hr)

Depth to water table: About 18 to 30 inches

Frequency of flooding: None Frequency of ponding: None

Available water storage in profile: High (about 10.4 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 2e

Hydrologic Soil Group: C

Other vegetative classification: Acid Loams (AL3)

Hydric soil rating: No

Minor Components

Clifftop

Percent of map unit: 10 percent

Landform: Ridges

Landform position (two-dimensional): Summit Landform position (three-dimensional): Mountaintop

Down-slope shape: Convex Across-slope shape: Convex

Other vegetative classification: Acid Loams (AL3)

Hydric soil rating: No

Morehead

Percent of map unit: 5 percent

Landform: Terraces

Landform position (three-dimensional): Tread

Down-slope shape: Linear Across-slope shape: Linear

Other vegetative classification: Wetlands (W3)

Hydric soil rating: No

Monongahela

Percent of map unit: 5 percent Landform: Stream terraces

Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Tread

Down-slope shape: Linear

Across-slope shape: Linear

Other vegetative classification: Acid Loams (AL3)

Hydric soil rating: No

Knowlton

Percent of map unit: 3 percent

Landform: Terraces

Landform position (two-dimensional): Toeslope Landform position (three-dimensional): Tread

Down-slope shape: Linear Across-slope shape: Linear

Other vegetative classification: Wetlands (W3)

Hydric soil rating: Yes

Laidio

Percent of map unit: 2 percent Landform: Mountain slopes

Landform position (two-dimensional): Footslope

Landform position (three-dimensional): Mountainflank, mountainbase

Down-slope shape: Linear, concave Across-slope shape: Concave, linear

Other vegetative classification: Acid Loams (AL3)

Hydric soil rating: No

LeF—Layland-Dekalb-Guyandotte complex, 35 to 70 percent slopes, extremely stony

Map Unit Setting

National map unit symbol: 2qdnw

Mean annual precipitation: 37 to 47 inches
Mean annual air temperature: 50 to 52 degrees F

Frost-free period: 140 to 170 days

Farmland classification: Not prime farmland

Map Unit Composition

Layland and similar soils: 45 percent Dekalb and similar soils: 30 percent Guyandotte and similar soils: 15 percent

Minor components: 10 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Layland

Setting

Landform: Mountain slopes

Landform position (two-dimensional): Backslope Landform position (three-dimensional): Mountainflank

Down-slope shape: Linear Across-slope shape: Concave

Parent material: Loamy colluvium derived from sandstone and siltstone

Typical profile

Oi - 0 to 1 inches: slightly decomposed plant material Oe - 1 to 2 inches: moderately decomposed plant material

A - 2 to 6 inches: gravelly loam
BA - 6 to 9 inches: gravelly loam
BW - 9 to 46 inches: very gravelly loam
BC - 46 to 57 inches: very gravelly loam
C - 57 to 79 inches: very gravelly loam

Properties and qualities

Slope: 35 to 55 percent

Percent of area covered with surface fragments: 9.0 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: High

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to

high (0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Available water storage in profile: Moderate (about 6.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: B

Other vegetative classification: Not Suited (NS)

Hydric soil rating: No

Description of Dekalb

Settina

Landform: Ridges

Landform position (two-dimensional): Summit Landform position (three-dimensional): Mountaintop

Down-slope shape: Convex Across-slope shape: Convex

Parent material: Acid loamy residuum weathered from sandstone

Typical profile

Oi - 0 to 0 inches: stony slightly decomposed plant material
Oe - 0 to 1 inches: moderately decomposed plant material
A - 1 to 3 inches: highly organic very channery fine sandy loam

BA - 3 to 8 inches: very channery fine sandy loam

Bw - 8 to 26 inches: very channery loam BC - 26 to 31 inches: extremely channery loam

R - 31 to 35 inches: bedrock

Properties and qualities

Slope: 35 to 70 percent

Percent of area covered with surface fragments: 9.0 percent Depth to restrictive feature: 20 to 40 inches to lithic bedrock

Natural drainage class: Well drained

Runoff class: Medium

Capacity of the most limiting layer to transmit water (Ksat): Very low to very high

(0.00 to 19.98 in/hr)

Custom Soil Resource Report

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Available water storage in profile: Low (about 3.2 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: A

Other vegetative classification: Not Suited (NS)

Hydric soil rating: No

Description of Guyandotte

Setting

Landform: Mountain slopes

Landform position (two-dimensional): Shoulder

Landform position (three-dimensional): Upper third of mountainflank

Down-slope shape: Linear, convex Across-slope shape: Concave, convex

Parent material: Loamy-skeletal colluvium derived from interbedded sedimentary

rock

Typical profile

Oi - 0 to 1 inches: slightly decomposed plant material

A - 1 to 12 inches: very gravelly loam

AB - 12 to 18 inches: very gravelly loam

Bw - 18 to 55 inches: very gravelly loam

C - 55 to 79 inches: extremely gravelly loam

Properties and qualities

Slope: 35 to 55 percent

Percent of area covered with surface fragments: 9.0 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: Medium

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to

high (0.57 to 5.95 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Available water storage in profile: Low (about 5.5 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: A

Other vegetative classification: Not Suited (NS)

Hydric soil rating: No

Minor Components

Clifftop

Percent of map unit: 9 percent

Landform: Ridges

Landform position (two-dimensional): Shoulder Landform position (three-dimensional): Mountaintop

Down-slope shape: Convex Across-slope shape: Convex

Hydric soil rating: No

Rock outcrop

Percent of map unit: 1 percent Landform: Escarpments

Landform position (two-dimensional): Backslope Landform position (three-dimensional): Mountainflank

LhE—Layland-Laidig complex, 15 to 35 percent slopes, rubbly

Map Unit Setting

National map unit symbol: 2nbss

Mean annual precipitation: 37 to 47 inches Mean annual air temperature: 50 to 52 degrees F

Frost-free period: 140 to 170 days

Farmland classification: Not prime farmland

Map Unit Composition

Layland and similar soils: 55 percent Laidig and similar soils: 25 percent Minor components: 20 percent

Estimates are based on observations, descriptions, and transects of the mapunit.

Description of Layland

Setting

Landform: Mountain slopes

Landform position (two-dimensional): Backslope Landform position (three-dimensional): Mountainflank

Down-slope shape: Linear Across-slope shape: Concave

Parent material: Loamy colluvium derived from sandstone and siltstone

Typical profile

Oi - 0 to 1 inches: slightly decomposed plant material Oe - 1 to 2 inches: moderately decomposed plant material

A - 2 to 6 inches: gravelly loam
BA - 6 to 9 inches: gravelly loam
Bw - 9 to 46 inches: very gravelly loam
BC - 46 to 57 inches: very gravelly loam
C - 57 to 79 inches: very gravelly loam

Properties and qualities

Slope: 15 to 35 percent

Percent of area covered with surface fragments: 33.0 percent

Depth to restrictive feature: More than 80 inches

Natural drainage class: Well drained

Runoff class: High

Capacity of the most limiting layer to transmit water (Ksat): Moderately high to

high (0.60 to 2.00 in/hr)

Depth to water table: More than 80 inches

Frequency of flooding: None Frequency of ponding: None

Available water storage in profile: Moderate (about 6.6 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: B

Other vegetative classification: Very Rocky, Acid Soils (RA3)

Hydric soil rating: No

Description of Laidig

Setting

Landform: Mountain slopes

Landform position (two-dimensional): Footslope

Landform position (three-dimensional): Mountainflank, mountainbase

Down-slope shape: Linear, concave Across-slope shape: Concave, linear

Parent material: Loamy colluvium derived from interbedded sedimentary rock

Typical profile

Oi - 0 to 1 inches: stony slightly decomposed plant material

A - 1 to 4 inches: gravelly highly organic loam

A/B - 4 to 7 inches: gravelly loam
Bt1 - 7 to 31 inches: gravelly loam
Bt2 - 31 to 48 inches: gravelly loam
Btx - 48 to 79 inches: gravelly loam

Properties and qualities

Slope: 15 to 35 percent

Percent of area covered with surface fragments: 33.0 percent Depth to restrictive feature: 30 to 50 inches to fragipan

Natural drainage class: Well drained

Runoff class: High

Capacity of the most limiting layer to transmit water (Ksat): Moderately low to

moderately high (0.06 to 0.20 in/hr)

Depth to water table: About 30 to 46 inches

Frequency of flooding: None Frequency of ponding: None

Available water storage in profile: Moderate (about 6.8 inches)

Interpretive groups

Land capability classification (irrigated): None specified

Land capability classification (nonirrigated): 7s

Hydrologic Soil Group: C

Other vegetative classification: Very Rocky, Acid Soils (RA3)

Hydric soil rating: No

Minor Components

Dekalb

Percent of map unit: 10 percent

Landform: Ridges

Landform position (two-dimensional): Summit Landform position (three-dimensional): Mountaintop

Down-slope shape: Convex Across-slope shape: Convex

Other vegetative classification: Not Suited (NS)

Hydric soil rating: No

Philo

Percent of map unit: 5 percent

Landform: Flood plains

Landform position (two-dimensional): Toeslope

Landform position (three-dimensional): Mountainbase, base slope, tread

Down-slope shape: Linear, convex

Across-slope shape: Linear

Other vegetative classification: Acid Loams (AL4)

Hydric soil rating: No

Rock outcrop

Percent of map unit: 5 percent

Landform: Escarpments

Landform position (two-dimensional): Backslope Landform position (three-dimensional): Mountainflank

References

American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.

American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildlife Service FWS/OBS-79/31.

Federal Register. July 13, 1994. Changes in hydric soils of the United States.

Federal Register. September 18, 2002. Hydric soils of the United States.

Hurt, G.W., and L.M. Vasilas, editors. Version 6.0, 2006. Field indicators of hydric soils in the United States.

National Research Council. 1995. Wetlands: Characteristics and boundaries.

Soil Survey Division Staff. 1993. Soil survey manual. Soil Conservation Service. U.S. Department of Agriculture Handbook 18. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_054262

Soil Survey Staff. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd edition. Natural Resources Conservation Service, U.S. Department of Agriculture Handbook 436. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053577

Soil Survey Staff. 2010. Keys to soil taxonomy. 11th edition. U.S. Department of Agriculture, Natural Resources Conservation Service. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053580

Tiner, R.W., Jr. 1985. Wetlands of Delaware. U.S. Fish and Wildlife Service and Delaware Department of Natural Resources and Environmental Control, Wetlands Section.

United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Experiment Station Technical Report Y-87-1.

United States Department of Agriculture, Natural Resources Conservation Service. National forestry manual. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/home/?cid=nrcs142p2_053374

United States Department of Agriculture, Natural Resources Conservation Service. National range and pasture handbook. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/landuse/rangepasture/?cid=stelprdb1043084

Custom Soil Resource Report

United States Department of Agriculture, Natural Resources Conservation Service. National soil survey handbook, title 430-VI. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/soils/scientists/?cid=nrcs142p2_054242

United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States, the Caribbean, and the Pacific Basin. U.S. Department of Agriculture Handbook 296. http://www.nrcs.usda.gov/wps/portal/nrcs/detail/national/soils/?cid=nrcs142p2_053624

United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Department of Agriculture Handbook 210. http://www.nrcs.usda.gov/Internet/FSE_DOCUMENTS/nrcs142p2_052290.pdf

APPENDIX E WETLAND DATA FORMS



Page 61 of 81 WETLAND DETERMINATION DATA FORM – Eastern Mountains and Piedmont Region

Project/Site: C18-214-2276			City/(County: Fayette		Sampling Date: 5/15/18
Applicant/Owner: Weston Sc	utions			,		Sampling Point: Wetland 1
Investigator(s):	nvestigator(s): Section, Township, Range					
Landform (hillslope, terrace, e	etc.): low terrace					Slope (%): _0
Subregion (LRR or MLRA):				Long: <u>37.5</u>		Datum: NAD 27
Soil Map Unit Name: Layland	l-Laidig complex			· · · · · · · · · · · · · · · · · · ·		ation: Not Mapped
Are climatic / hydrologic cond			for this time of year?	/es ^X No	(If no, explain in F	
Are Vegetation Soil _						present? Yes X No
Are Vegetation, Soil _					explain any answe	
		· · · · · · · · · · · · · · · · · · ·		******	any many	
SUMMARY OF FINDIN	iGS – Attaci	ı site r	nap showing san	npling point location	ons, transects	, important features, etc.
	***************************************			I		
Hydrophytic Vegetation Pres	sent? Yo	88X	No	Is the Sampled Area		
Hydric Soil Present?	Yi)\$X	No	within a Wetland?	YesX	No
Welland Hydrology Present	? Ye	:\$X	No			
Remarks:						
HYDROLOGY						~~~~~
Wetland Hydrology Indical	mrs:				Secondary Indica	itors (minimum of two required)
Primary Indicators (minimun		ani nhar	ok all that anniv)		Surface Soil	
Surface Water (A1)	1.XI.XIIX.IX.IXXX	30304.361.363	True Aquatic Plants (F14:		getated Concave Surface (B8)
High Water Table (A2)		********	Hydrogen Sulfide Od		Operacy Ver	
X Saturation (A3)		×		es on Living Roots (C3)	Moss Trim L	
Water Marks (B1)			Presence of Reduces			Water Table (C2)
X Sediment Deposits (B2)		***************************************	Recent Iron Reduction		Crayfish Bur	
Drift Deposits (B3)			Thin Muck Surface (C		,	sible on Aerial Imagery (C9)
Algel Mat or Crust (B4)		***************************************	Other (Explain in Res		•	tressed Plants (D1)
Iron Deposits (B5)		*******		,	444444	Position (D2)
Inundation Visible on Ac	rial Imagery (B	')	•		Shallow Aqu	
X Water-Stained Leaves (B9)				Microtopogra	phic Relief (D4)
Aquatic Fauna (B13)					FAC-Neutral	Test (D5)
Field Observations:						······
Surface Water Present?	Yes }	40 X	Depth (inches):			
Water Table Present?	Yes!	do	Depth (inches):			
Saturation Present?			Depth (inches):	;	łydrology Preser	it? YesXNo
(includes capillary fringe)						
Describe Recorded Data (str	eam gauge, mo	altoang i	weil, aerial photos, pre	vicus inspections), if ava	illable:	

Remarks:						
					*	

VEGETATION (Five Strata) – Use scientific names of plants.

Page 62 of 81 Sampling Point: Wetland 1

20	Absolute	Dominant		Dominance Test worksheet:
<u>Tree Stratum</u> (Plot size: 30)		Species?		Number of Dominant Species
1. Platanus occidentalis		Yes	FACW	That Are OBL, FACW, or FAC:(A)
2. Salix nigra	- 5	Yes	OBL	Total Number of Dominant
3. Acer negundo	2.5	Yes	FAC	Species Across All Strata: (B)
4,		***************************************		Percent of Dominant Species
5				That Are OBL, FACW, or FAC: (A/B)
6				
		≖ Total Cov	er	Prevalence Index worksheet:
50% of total cover: 6.25	20% of	total marriage	2.5	Total % Cover of: Multiply by:
	ZU70 UI	total cover.		OBL species x 1 =
Sapling Stratum (Plot size:) 1 Platanus occidentalis	5	Yes	FACW	FACW species x 2 =
	2.5	Yes	FAC	FAC species x 3 =
2. Acer negundo			***************************************	FACU species x 4 =
3		dien errichen bliebeieren		UPL species x 5 =
4				Column Totals: (A) (B)
5		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		(0)
6				Prevalence Index = B/A =
	7.5	= Total Cov	er	Hydrophytic Vegetation Indicators:
50% of total cover: 3.75	2004 of	fotal cover	1.5	1 - Rapid Test for Hydrophytic Vegetation
Shrub Stratum (Plot size:)	20 /b UI	total coses,		2 - Dominance Test is >50%
1. Rosa multiflora	10		FAC	3 - Prevalence Index is ≤3.0¹
				4 - Morphological Adaptations (Provide supporting
2				data in Remarks or on a separate sheet)
3				Problematic Hydrophytic Vegetation¹ (Explain)
4				
5,		***************************************		¹Indicators of hydric soil and wetland hydrology must
6		***************************************		be present, unless disturbed or problematic.
	10 =	= Total Cov	er	Definitions of Five Vegetation Strata:
50% of total cover: 5	20% of	fotal cover	2	
Herb Stratum (Plot size:)	ACCOUNT OF THE PERSON OF THE P			Tree – Woody plants, excluding woody vines,
1 Gallium asprellum	5	No	OBL.	approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).
2 Poa spp.	10	No	N/L	
3. Typha latifolia	15	Yes	OBL	Sapling - Woody plants, excluding woody vines,
***************************************				approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.
4. Juncus effusus	20	Yes	FACW	
5. Acorus americanus	20	Yes	OBL	Shrub – Woody plants, excluding woody vines,
6				approximately 3 to 20 ft (1 to 6 m) in height.
7				Herb - All herbaceous (non-woody) plants, including
8		****************	***************************************	herbaceous vines, regardless of size, and woody
9				plants, except woody vines, less than approximately 3 ft (1 m) in height.
10				
11				Woody vine - All woody vines, regardless of height.
		Total Cove		
25				
50% of total cover: 35	20% of	total cover:_	14	
Woody Vine Stratum (Plot size:)				
1,	~~			
2	***************************************			
3				
4				
5				
		Total Cove	٠	Hydrophytic
				Vegetation
50% of total cover:		total cover:		130
Remarks: (Include photo numbers here or on a separate s	heet.)			

Page 63 of 81 Sampling Point: Welland 1

Depth	Matrix	o me aspe		nent the ii x Features		or confir	n the absence	of indicators.)
(inches)	Color (moist)	%	Color (moist)	<u> </u>	Type ¹	Loc ²	Texture	Remarks
0-2	10YR 3/3	80	10YR 5/8	20	RM	M	Sandy Loam	
2-10	10YR 3/1	90	10YR 6/8	10	RM	M	Sandy Loam	
				***************************************	***************************************			
		100000000000000000000000000000000000000		·····				

Type: C=Co Hydric Soil I	ncentration, D=Deple	etion, RM=I	Reduced Matrix, MS	3=Masked	Sand Gra	iins.		_=Pore Lining, M=Matrix. Itors for Problematic Hydric Soils ³ :
Black His Hydroget Stratified 2 cm Mu Depleted Thick Da Sandy M ML Sandy GI Sandy Re Stripped	ipedon (A2) Itic (A3) In Sulfide (A4) Layers (A5) Ick (A10) (LRR N) Below Dark Surface Irk Surface (A12) ucky Mineral (S1) (LI RA 147, 148) eyed Matrix (S4)	RR N,	Dark Surface Polyvalue Be Thin Dark Su Loamy Gleye Depleted Mar X Redox Dark Su Depleted Dar Redox Depre Iron-Mangane MLRA 13: Umbric Surfa Piedmont Flo Red Parent M	low Surface (S9) d Matrix (Forix (F3) Surface (F6 k Surface ssions (F8 ese Masse 6) ce (F13) (Foodplain Sc	(MLRA 1- 5) (F7)) s (F12) (L WLRA 136	47, 148) .RR N, 5, 122) MLRA 14	. 148) Co Ve Oi 3Indi [8) wet	cm Muck (A10) (MLRA 147) oast Prairie Redox (A16) (MLRA 147, 148) iedmont Floodplain Soils (F19) (MLRA 136, 147) ery Shallow Dark Surface (TF12) ther (Explain in Remarks) cators of hydrophytic vegetation and tland hydrology must be present, ess disturbed or problematic.
	hes):						Hydric Soil	Present? Yes X No

Page 64 of 81 WETLAND DETERMINATION DATA FORM – Eastern Mountains and Piedmont Region

Project/Site: C18-214-2276			City	v/County: Fayette		Sampling Date: 5/15/18		
Applicant/Owner: Weston Sol	ations			, , , , , , , , , , , , , , , , , , , ,		Sampling Point. Welland 4		
Investigator(s):				ction, Township, Range: M				
Landform (hillslope, terrace, e								
Subregion (LRR or MLRA):				Long: <u>37.5</u>		Datum: NAD27		
Scii Mac Unit Name: <u>Layland</u>			*&f.			cation: Not Mapped		
Are climatic / hydrologic condi				X 8ta				
						·		
Are Vegetation Soil						present? Yes X No		
Are Vegetation, Soil _	, or Hy	prology _	naturally proble	matic? (If needed, a	explain any answe	ers in Remarks.)		
SUMMARY OF FINDIN	GS – Atta	ch site	map showing sa	impling point location	ons, transects	s, important features, etc.		
Hydrophytic Vegetation Pres	iydrophytic Vegetation Present? Yes X No							
Hydric Soil Present?		Yes_X	No	within a Welland?	Yes X	No		
Wetland Hydrology Present?		YesX	No					
Remarks:		••••••						
11/2221								
HYDROLOGY			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		***************************************			
Wetland Hydrology Indicat						Ators (minimum of two required)		
Primary Indicators (minimum	of one is rea	wired: ch			Surface Soil			
X Surface Water (A1)			True Aquatic Plants			getated Concave Surface (B8)		
High Water Table (A2)		•	Hydrogen Sulfide C		X Drainage Pa			
Saturation (A3)				eres on Living Roots (C3)	Moss Trim L	· ·		
Water Marks (B1)			Presence of Reduc	' '		Water Table (C2)		
Sediment Deposits (B2)				duction in Tilled Soils (C6) Crayfish Burrows (C8)				
Drift Deposits (B3)		200	Thin Muck Surface		Saturation Visible on Aerial Imagery (C9)			
Aigel Mat or Crust (B4)			Other (Explain in R	emarks)	X Stunted or Stressed Plants (D1)			
Iron Deposits (B5)		· Marie			Geomorphic Position (D2)			
Inundation Visible on Ae	~ .	B7)			Shallow Aqu			
Water-Stained Leaves (E	18)				_	sphic Relief (D4)		
Aquatic Fauna (B13)					FAC-Neutral	TEST (DO)		
Field Observations:			و جانے پوس					
Surface Water Present?			Depth (inches):					
Water Table Present?			Depth (inches):			34		
Saturation Present? (includes capillary fringe)	Yes^_	. No	Depth (inches):	Wetland h	lydrology Preser	117 Yes No		
Describe Recorded Data (stre	am gauge, r	nonitorin	g well, aerial photos, p	revious inspections), if ava	ilable:			
Remarks:	***************************************				•••••••••••••••••••••••••••••••			

VEGETATION (Five Strata) – Use scientific names of plants.

Page 65 of 81 Sampling Point: Wetland 4

7	30 y	Absolute		Indicator	Dominance Test worksheet:
Tree Stratum (Ptot size: 1 Platanus occidentalis)	% Cover	Species? Yes	FACW	Number of Dominant Species
· ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					That Are OBL, FACW, or FAC:(A)
	***************************************	- 5	Yes	FACU	Total Number of Dominant
3					Species Across Alf Strata: (B)
4,					Percent of Dominant Species
5					That Are OBL, FACW, or FAC:(A/B)
6					
		0.0	= Total Co	/er	Prevalence Index worksheet:
	mass 61 11 10				Total % Cover of: Multiply by:
	4 3**	20% of	total cover	4	OBL species x 1 =
Sapling Stratum (Plot size:	15)	_			FACW species x 2 =
1. Rosa multiflora		5	No	FAC	FAC species x 3 =
2. Acer negundo	~~~~~	10	Yes	FACU	FACU species x 4 =
3, Rhus typhina		5	No	NL	1
4					UPL species x 5 =
5,					Cölumn Totals: (A) (B)
6			***************************************	***************************************	Prevalence Index = B/A =
Ÿ	***************************************		T-4-1-0		
			= Total Co		Hydrophytic Vegetation Indicators:
	50% of total cover: 10	20% of	total cover	. 4	1 - Rapid Test for Hydrophytic Vegetation
Shrub Stratum (Plot size:)				2 - Dominance Test is >50%
		15	Yes	NL	3 - Prevalence Index is ≤3.01
- Ácer negundo		15	Yes	FACU	4 - Morphological Adaptations (Provide supporting
			***************************************		data in Remarks or on a separate sheet)
3					Problematic Hydrophytic Vegetation¹ (Explain)
4					
5,					¹ Indicators of hydric soil and wetland hydrology must
6	······································				be present, unless disturbed or problematic.
		30 ,	= Total Cov	/er	Definitions of Five Vegetation Strata:
	50% of total cover: 15	20% of	total cover	· 6	
Herb Stratum (Plot size:	~	www.		***************************************	Tree - Woody plants, excluding woody vines,
Cyperus esculentus	······································	30	Yes	FACW	approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).
2. Poa spp.	•••••••••••••••••••••••••••••••••••••••	10	Yes		
***************************************		5		***************************************	Sapling - Woody plants, excluding woody vines,
3. Gallium asprellum		2.	No	OBL	approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.
4					than one (s.o on) bore
5			***************************************		Shrub - Woody plants, excluding woody vines,
6			*****************************	* *************************************	approximately 3 to 20 ft (1 to 6 m) in height.
7					Herb - All herbaceous (non-woody) plants, including
8					herbaceous vines, regardless of size, and woody
9.					plants, except woody vines, less than approximately 3
					ft (1 m) in height.
10					Woody vine - All woody vines, regardless of height.
11	······································	4 ~			
		45 =	= Total Cov	er er	
	50% of total cover: 22.5	20% of	total cover	9	
Woody Vine Stratum (Plot size	6.6				
	,				
1					
2					
3	***************************************	·····			
4,					
5					Hudronhutic
			= Total Cov	er	Hydrophytic Vegetation
	50% of total cover:	200/ 24	total acur-		Present? Yes X No
			total cover		
Remarks: (Include photo numb	pers nere or on a separate s	neet.)			

SOIL

Profile Desci Depth	ription: (Describe) Matrix	to the dept	h needed to docum	ent the i		or confirm	use absence	or murcators.)
(inches)	Color (moist)	%	Color (moist)	%	Type ¹	Loc²	Texture	Remarks
0-8	10YR 2/1	95	10YR 5/8	5	C	PL	loam	Saturated
Hydric Soil Ir	idicators:	etion, RM=	Reduced Matrix, MS		Sand Gr	 ains.	Indica	L=Pore Lining, M=Matrix. ators for Problematic Hydric Soils ³ :
2 cm Muc Depleted Thick Dar Sandy Mu	pedon (A2) tic (A3) Sulfide (A4) Layers (A5) ik (A10) (LRR N) Below Dark Surface k Surface (A12) icky Mineral (S1) (L		Dark Surface Polyvalue Bel Thin Dark Sur Loamy Gleyer Depleted Mati X Redox Dark S Depleted Dark Redox Depress Iron-Mangane MLRA 136	ow Surfar face (S9) d Matrix (rix (F3) surface (F k Surface ssions (F8 ese Masse	(MLRA 1 F2) (6) (F7) 3) es (F12) (47, 148) LRR N,	148) C	cm Muck (A10) (MLRA 147) oast Prairie Redox (A16) (MLRA 147, 148) iedmont Floodplain Soils (F19) (MLRA 136, 147) ery Shallow Dark Surface (TF12) ther (Explain in Remarks)
Sandy Re Stripped I	eyed Matrix (S4) dox (S5) Matrix (S6) ayer (if observed):		Umbric Surfac Piedmont Floo Red Parent M	odplain S	oils (F19)	(MLRA 148	3) we	icators of hydrophytic vegetation and tland hydrology must be present, less disturbed or problematic.
	nes):						Hydric Soil	Present? Yes X No
Remarks:								

Page 67 of 81 WETLAND DETERMINATION DATA FORM – Eastern Mountains and Piedmont Region

Project/Site: C18-214-2276			Citv/C	County: Fayette		Sampling Date: 5/16/18		
Applicant/Owner: Weston Solo	itions					Sampling Point: Wetland 5		
Investigator(s):		on, Township, Range: M						
Landform (hillslope, terrace, et	An terrace							
Subregion (LRR or MLRA): LF	XXN		Lat: -81.122438 Long: 37.978884 Concave Slope Lat: -81.122438 Long: 37.978884 Datum:					
Soil Map Unit Name: Layland-	i aidin complex	1		6289	MARK alamait	Datum: NAD 27 cation: Not Mapped		
				X *:-				
Are climatic / hydrologic condit					(If no, explain in F			
Are Vegetation, Soil						present? Yes X No		
Are Vegetation Soil	or Hydrol	эах	naturally problem	anc/ (ir needed, i	explain any answe	ars in Kemarks.)		
SUMMARY OF FINDIN	GS – Attach	site n	nap showing san	npling point location	ons, transect:	s, important features, etc.		
Hydrophytic Vegetation Presi	ant? Yes	. X	No					
Hydric Soil Present?			No	Is the Sampled Area within a Wetland?	ves X	No		
Wetland Hydrology Present?		X	No					
Remarks:			·····	<u> </u>				
	eles 2							
Multiple sewers nea	ina							
HYDROLOGY	***************************************							
					Carandaev ladia	ators (minimum of two required)		
Wetland Hydrology Indicate			do altituati an altit					
Primary Indicators (minimum	or one is require	g_coec		(5) 4 41	Surface Soil			
Surface Water (A1)		******	True Aquatic Plants (getated Concave Surface (88)		
High Water Table (A2)			Hydrogen Sulfide Od	es on Living Rocts (C3)	X Drainage Pa			
X Saturation (A3) Water Marks (B1)		*******	Presence of Reduces		Moss Trim L			
Sediment Deposits (B2)		*******	Recent Iron Reduction		Dry-Season Water Table (C2) (C6) Crayfish Burrows (C8)			
Drift Deposits (B3)		9000000	Thin Muck Surface (risible on Aerial Imagery (C9)		
Algal Mat or Crust (B4)			Other (Explain in Rer			Stressed Plants (D1)		
Iron Deposits (B5)		9000000	mrone imprementation.	1.56 Nay		Position (D2)		
Inundation Visible on Aer	ial Imagery (87				Shellow Aqu			
X Water-Stained Leaves (B					X Microtopogr			
Aquatic Fauna (B13)	*				FAC-Neutra			
Field Observations:								
Surface Water Present?	Yas N	n X	Depth (inches):					
Water Table Present?			Depth (inches):					
Saturation Present?			Depth (inches):		Awimiany Press	nt? Yes ^X No		
(includes capillary fringe)					* **	74.7		
Describe Recorded Data (stre	am gauge, mor	toring s	well, aerial photos, pre	ivicus inspections), if ava	rilable:			
Remarks:		***************************************						
Site has been rolled	by ATV tri	affic						
Smells strongly of se	•							
						•		

VEGETATION (Five Strata) - Use scientific names of plants.

Page 68 of 81
Sampling Point: Wetland 5

Tong Cinches (District)	30	Absolute		Indicator	Dominance Test worksheet:
Tree Stratum (Plot size:)	<u> % Cover</u> 15	Species? Yes	FACW	Number of Dominant Species
2. Robinia pseudoacacia		2	103	FACU	That Are OBL, FACW, or FAC:(A)
3. Cornús racemosa		40	Yes	FAC	Total Number of Dominant
	·	-			Species Across All Strata: (B)
4					Percent of Dominant Species
5					That Are OBL, FACW, or FAC: (A/B)
6			***********************	*	Prevalence Index worksheet:
		57	= Total Cov	/er	
	50% of total cover: 28.5	20% of	total cover	11.4	
Sapling Stratum (Plot size:	15				OBL species x 1 =
1, Cornus racemosa		30	Yes	FAC	FACW species x 2 =
2. Comus sericea		15	Yes	NL	FAC species x 3 =
3			·		FACU species x 4 =
4					UPL species x 5 =
					Column Totals: (A) (B)
5			***************************************		Decyclopen taday = D/A =
6			T-4-1 0		Prevalence Index = B/A =
			= Total Cov		Hydrophytic Vegetation Indicators:
	50% of total cover: 22.5	20% of	total cover	9	1 - Rapid Test for Hydrophytic Vegetation
Shrub Stratum (Plot size:)				2 - Dominance Test is >50%
		10	No	FACW	3 - Prevalence Index is ≤3.0 ¹
		30	Yes	NL.	4 - Morphological Adaptations¹ (Provide supporting
3. Salix nigra	······	30	Yes	OBL	data in Remarks or on a separate sheet)
4				***************************************	Problematic Hydrophytic Vegetation¹ (Explain)
5					
6					Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
		70 .	Total Cov	er	Definitions of Five Vegetation Strata:
	50% of total cover: 35	2004.06	total cover	14	Deminions of Five Vegetation Strata.
Herb Stratum (Plot size:		207808	miai cover	***************************************	Tree - Woody plants, excluding woody vines,
1 Cyperus esculentus	······ }	40	Yes	FACW	approximately 20 ft (6 m) or more in height and 3 in. (7.6 cm) or larger in diameter at breast height (DBH).
2. Agrimonia spp.		10	No	NL	
3 Juneus canadensis	· · · · · · · · · · · · · · · · · · ·	15	Yes	OBL	Sapling - Woody plants, excluding woody vines,
Lonicera japonica		5		FACU	approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.
Commence and the second	······································	·	No	FACO	
5	***************************************		w		Shrub – Woody plants, excluding woody vines; approximately 3 to 20 ft (1 to 6 m) in height.
					approximatesy 3 to 20 ft (1 to 6 ft) in fleight.
7					Herb – All herbaceous (non-woody) plants, including
8	***************************************	***************************************		***************************************	herbaceous vines, regardless of size, and woody plants, except woody vines, less than approximately 3
9		***************************************			ft (1 m) in height.
10		·			187 a de adres de la constanta
11,				***************************************	Woody vine - All woody vines, regardless of height.
		70 =	Total Cov	er	
	50% of total cover: 35	20% of t	otal cover	14	
Woody Vine Stratum (Plot size					
1					

3					
4,					
5					Hydrophytic
		······	Total Cov	er	Vegetation
	50% of total cover:	20% of t	otal cover:		Present? YesNo
Remarks: (Include photo numb	ers here or on a separate si	neet.)	***************************************	***************************************	
	•	•			

Page 69 of 81 Sampling Point: Wetland 5

Depth	cription: (Describe t Matrix	o the depti		nent the ii x Features		or confirm	the absence	of indicators.)
(inches)	Color (moist)	%	Color (moist)	% %	Type	Loc²	Texture	Remarks
0-2	10YR 3/1	100						
2-6	10YR 4/1	70	7.5 YR 4/4	30	RM	M	Loam	
	***************************************				~~~~		***************************************	
	www			***************************************	***************************************	***************************************		
								: <u>:</u>
	`*************************************		***************************************	*************	***************************************	***************************************	***************************************	***************************************
	·	***************************************		***************************************		WARRANGA ARRANA	***************************************	
***************************************		,	***************************************					***************************************
	***************************************		······································			***************************************	***************************************	***************************************
	***************************************							***************************************
		***************************************		***************************************				
	oncentration, D=Depl	etion, RM=F	Reduced Matrix, MS	=Masked	Sand Gra	ains.		L=Pore Lining, M=Matrix.
Hydric Soil I								ators for Problematic Hydric Soils ³ :
Histosol	(A1) ilpedon (A2)		Dark Surface Polyvalue Be		/CO\ /8/	11 DA 447		cm Muck (A10) (MLRA 147)
Black His			Polyvaide Be				140)	Coast Prairie Redox (A16) (MLRA 147, 148)
	n Sulfide (A4)		Loamy Gleye				F	Piedmont Floodplain Soils (F19)
	Layers (A5)		X Depleted Mat					(MLRA 136, 147)
	ck (A10) (LRR N)		Redox Dark S					/ery Shallow Dark Surface (TF12)
	Below Dark Surface	(A11)	Depleted Dari				C	Other (Explain in Remarks)
	rk Surface (A12)	nn 61	Redox Depre			നന ഭി		
	ucky Mineral (S1) (Ll . 147, 148)	KPC IV.	Iron-Mangane MLRA 136		S (F12) (I	"KK N,		
	leyed Matrix (S4)		Umbric Surface		ИLRA 13	6. 122\	3Ind	ficators of hydrophytic vegetation and
	edox (S5)		Piedmont Flo					etland hydrology must be present.
	Matrix (S6)		Red Parent M					less disturbed or problematic.
Restrictive L	ayer (if observed):							
Туре:	***************************************							
Depth (inc	hes):						Hydric Soil	Present? Yes X No
Remarks:	- f	N					λ	
K	efusal at 6" - G	oravei bi	ase, pernaps	ola ro	3 0			
							.2	

•								жение и поставительного поста
		*****************	******************************	***************************************	***************************************			

Page 70 of 81 WETLAND DETERMINATION DATA FORM – Eastern Mountains and Piedmont Region

Project/Site: C18-214-2276					***************************************	City/County: Fe)	etie	Sampling Date: 5/15/18		
Applicant/Owner: Weston So	lutions					State: <u>WV</u>			Sampling Point: WL-6	
Investigator(s):						Section, Townsh	ip, Range: M		. ,	
l andform (hillslane terrace c	ac.): ter	race				neal relief (concave, convex, none): COMCGVC Slone			Stope (%): <1%	
Subrenion (LRR or MLRA): L	RRN	************	**************	1 241	-81.124633	Long: 37.977155 Datum: NAD 27				
Soil Man Holl Name: Layland	oil Map Unit Name: Layland-Laidig complex				NWI classification: Not Mapped					
Are dimatic / hydrologic cond				ical fr	w this time of	waar? Vas X				
Are Vegetation X Soil									present? YesNo _X_	
Are VegetationSoil _						r.		explain any answi		
ac activitation		n my	viog)	·	Hatu ony	h: ne:::::::::::::::::::::::::::::::::::	(n inveded, e	when any amore	3(2) 33 (Vestinations)	
SUMMARY OF FINDIN	IGS –	Atta	ch si	te m	ıap showii	ng sampling po	int locatio	ıns, transect	s, important features, etc	
Hydrophytic Vegetation Pres	hytic Vegetation Present? Yes X No Is the Sampled Area									
Hydric Soil Present?					No		Wetland?	YesX	No	
Wetland Hydrology Present	>		Yes_	Χ	No					
Remarks:	***************************************									
HYDROLOGY										
							·			
Wetland Hydrology Indicat								***************************************	ators (minimum of two required)	
Primary Indicators Iminimum	<u>i at one</u>	15.199	ured:			•		Surface Soil		
X Surface Water (A1)					,	: Plants (814)			getated Concave Surface (88)	
High Water Table (A2)						iffide Odor (C1)	w	Drainage Pa		
X Saturation (A3)						zospheres on Living	Hoots (C3)	Moss Trim t		
Water Marks (81)						Reduced from (C4) Dry-Season Water Table (C2)				
Seciment Deposits (B2)						Reduction in Titled Soits (C6) Crayfish Burrows (C8)				
Orift Deposits (B3)					Thin Muck S				isible on Aerial Imagery (C9)	
Algal Mat or Crust (84) Iron Deposits (85)				9000000	OBIC: (CADIC	in in Remarks)		Geomorphic	tressed Plants (D1)	
Inundation Visible on As	vial Ima	noni i	271			Shallow				
X Water-Stained Leaves (Ser A (ω <i>c</i> y.						naro (65) aphic Relief (04)	
Aquatic Fauna (B13)	ww)							FAC-Neutra		
Field Observations:										
Surface Water Present?	Vac	X	\$ En		Depth (inch	est. O				
Water Table Present?					Depth (inch					
Saturation Present?					Depth (inch		Mintinge Li	indonione Draga	n? Yes X No	
(includes capillary fringe)	162		. 340	************	Ochus farra	333;	AACHGHA LI	yurology rieser	K! 165	
Describe Recorded Data (str	eam ga	uge, r	nonito	ring w	iell, acrial pho	otos, previcus inspe	ctions), if avai	iable:		
Remarks:				*********						
Overbank flows fee	d wet	land	1. his	stori	c access	: road				
200 A 201 201 201 11 11 11 11 11 11 11 11 11 11 11 11 1			w,	~~~~	~ ~~~~~					

VEGETATION (Five Strata) – Use scientific names of plants.

Page 71 of 81 Sampling Point: Wetland 6

Tuna Chratum (Diet sing)	30	Absolute	Dominant		Dominance Test worksheet:		
Tree Stratum (Plot size:	······	% Cover 25	Species? Y	FACW	Number of Dominant Species	6	463
2 Salix nigra		30	Y	OBL	That Are OBL, FACW, or FAC:	<u>V.</u>	(A)
2. Salix riigira	***************************************			ODL	Total Number of Dominant		
3					Species Across All Strata:	9	(B)
4				*************	Percent of Dominant Species		
5					That Are OBL, FACW, or FAC:	66.6%	(A/B)
6				***************************************			~~~
		-55	= Total Cov	er	Prevalence Index worksheet:		
	50% of total cover: 27.5	20% of	total cover:	11	Total % Cover of:	Multiply by:	
Sapling Stratum (Plot size:		4070.01	7.0.0.7.0.7.0.7.0.7.0.7.0.7.0.7.0.7.0.7	***************************************	OBL species 45 x 1		ennenn.
Acer negundo		15	Υ	FAC	FACW species 25 x 2		
~ Comus serioss		10	Y	NL.	FAC species 50 x 3		
					FACU species x 4	1 == 40	
3				***************************************	UPL species x 5	; =	
					Column Totals: 130 (A)	285	(B)
5							
6	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				Prevalence Index = B/A =	2.19	
		25	= Total Cov	er	Hydrophytic Vegetation Indicat	ors:	************
	50% of total cover: 12.5	20% of	total cover:	5	1 - Rapid Test for Hydrophyti	c Vegetation	
Shrub Stratum (Plot size:		••••	•		X 2 - Dominance Test is >50%		
m 1.10		5	N	FACU	X 3 - Prevalence Index is ≤3.01		
a Saliv nigra		16	***************************************	FACU	4 - Morphological Adaptations	s¹ (Provide sur	porting
				***************************************	data in Remarks or on a s		
3					Problematic Hydrophytic Veg	etation ¹ (Expla	in)
4.							
5,			***************************************		Indicators of hydric soil and wetta	and hydrology i	nust
6					be present, unless disturbed or pr		
		20 ;	= Total Cov	er	Definitions of Five Vegetation S	itrata:	
	50% of total cover:10	20% of	total cover:	4	To		
Herb Stratum (Plot size:	5)				Tree - Woody plants, excluding water approximately 20 ft (6 m) or more		3 in
1. Equisetum arvense		20	Y	FAC	(7.6 cm) or larger in diameter at b		
2 Dicanthelium clandestinum		15	Υ	FAC	Canting 12/2 de stanta de stanta		
3. Acorus americanus		15	Υ.	OBL	Sapling - Woody plants, excluding approximately 20 ft (6 m) or more		
Aeclanias sysiana		5	N	FACU	than 3 in. (7.6 cm) DBH.	in thought and t	
······································		······································			Chick March along the side for	4	
5		**********		***************************************	Shrub - Woody plants, excluding approximately 3 to 20 ft (1 to 6 m)		
	***************************************					*	
7					Herb - All herbaceous (non-wood		
8		***************************************	***************************************		herbaceous vines, regardless of s plants, except woody vines, less t		
9					ft (1 m) in height.	нап арргохина	nery O
10							
11					Woody vine - All woody vines, re	gardless of he	ight.
		~~~	= Total Cove	er			
	50% of total cover: 27.5	***************************************					
	00	20% or	total cover:				
Woody Vine Stratum (Plot size	20)						
1N/A							
2	······································						
3:	***************************************						
4							
					A foreign minution		
			Total Cove		Hydrophytic Vegetation		
	50% of total cover:				Present? Yes X	No	
Planta de la fina della fina de la fina della fina de la fina de la fina de la fina della fina dell	***************************************		ristat roveci			***************************************	
Remarks: (Include photo numb	ers nere or on a separate sh	eel.)					

### SOIL

Profile Des	ription: (Describe	to the dep	th needed to docur	nent the i	indicator	or confirm	n the absence o	f indicators.)
Depth	<u>Matrix</u>			x Feature				
(inches)	Color (moist)		Color (moist)	%	Type ³	Loc ²	Texture	Remarks
0-2	10YR 3/1						Sandy Loam	High organics
2-4	10YR 4/2	60	10YR 5/8	35	RM	M	Sandy Loam	
4-8	10YR 1/2	85	10YR 5/8	15	RM	M	Sandy Loam	
		-		***************************************				
				•••••				
			***************************************		***************************************			
	····							
W			·	***************************************				
		~ *************************************			******************************			
	***************************************		***************************************		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			
¹Type: C=Ci	oncentration, D=Dep	letion RM=	:Reduced Matrix MS	evaekae	Sand Gr	aine	² Location: Pl =	Pore Lining, M≈Matrix.
Hydric Soil		renorr, ren	rtedoced mains, we	J-14100AGG	Cana Ci	anio.		ors for Problematic Hydric Soils ³ :
Histosol			Dark Surface	(S7)				m Muck (A10) <b>(MLRA 147)</b>
	pipedon (A2)		Polyvalue Be		ce (S8) <b>(</b> N	ILRA 147,		ast Prairie Redox (A16)
Black Hi			Thin Dark Su					MLRA 147, 148)
Hydroge	n Sulfide (A4)		Loamy Gleye		F2)		Pied	dmont Floodplain Soils (F19)
	Layers (A5)		X Depleted Mat					MLRA 136, 147)
	ck (A10) (LRR N)		Redox Dark S					y Shallow Dark Surface (TF12)
	Below Dark Surface	e (A11)	Depleted Dar				Oth	er (Explain in Remarks)
	rk Surface (A12)	mm ki	Redox Depre			c mm si		
	lucky Mineral (S1) (L	.KK N.	Iron-Mangand		es (F12) <b>(</b>	LKK N,		
	<b>147, 148)</b> lleyed Matrix (S4)		Umbric Surfa		881 DA 43	6 1221	3Indics	ators of hydrophytic vegetation and
	edox (S5)		Piedmont Flo					and hydrology must be present,
	Matrix (S6)		Red Parent N					es disturbed or problematic.
	.ayer (if observed):				/ <b>(</b>		1	
Type:								
Depth (inc	hes):						Hydric Soil Pi	resent? Yes X No
Remarks:	***************************************							
								·
			***************************************	~~~~				

# Page 73 of 81

## WETLAND DETERMINATION DATA FORM - Eastern Mountains and Piedmont Region

Project/Site: C18-214-2276				City/	County: Fayette		Sampling Date: 5/16/18
Applicant/Owner Weston Sol	utions					State: _WV	Sampling Point: Welland 10
Investigator(s)		***************************************	***************************************	Cari	ion, Township, Range: _		201.454.31.25.31
Landform (hillslope, terrace, e			***********		dief (concave, convex, n		Slope (%): <u>&lt;1%</u>
Subregion (LRR or MLRA):				-81.122462	Long: 37	976464	Datum: NAD27
			1811.	***************************************	L039.	\$ 50.8 ds c	cation: Not Mapped
Soil Map Unit Name: Cotaco					- X - V		
Are climatic / hydrologic condi						(If no, explain in f	
Are Vegetation, Soil							present? Yes X No
Are Vegetation Soil	or H	ydrolog	y	naturally problen	natic? (If needed,	explain any answ	ers in Remarks.)
SUMMARY OF FINDIN	GS – All	ach s	ite m	ap showing sar	mpling point locati	ions, transects	s, important features, etc.
Hydrophytic Vegetation Pres	eni?	Yes	Х	No			
Hydric Soil Present?		Yes		No	Is the Sampled Area within a Wetland?	Yes X	No
Wetland Hydrology Present?		Yes_		No			
Remarks:	~~~~~						
Large Wetland							
PEM/PFO complex							
HYDROLOGY		***************************************	************				
Welland Hydrology Indicat	ors:					Secondary Indic	ators (minimum of two required)
Primary Indicators (minimum	of one is re	auired:	chect	<u>(all that apply)</u>		Surface Soil	Cracks (B6)
X Surface Water (A1)			*******	True Aquatic Plants	(B14)	Sparsely Ve	getated Concave Surface (88)
High Water Table (A2)				Hydrogen Sulfide Od	for (C1)	X Drainage Pa	ttems (810)
X Saturation (A3)				Oxidized Rhizosphe	res on Living Roots (C3)	Moss Trim L	ínes (816)
Water Marks (B1)				Presence of Reduce	d Iron (C4)	Dry-Season	Water Table (C2)
X Sediment Deposits (82)			******	Recent Iron Reduction	on in Tilled Soils (C6)	Crayfish Bur	rows (C8)
Drift Deposits (83)				Thin Muck Surface (	C7)	Saturation V	isible on Aerial Imagery (C9)
Algal Mat or Crust (B4)				Other (Explain in Re	marks)	Stunted or S	tressed Plants (D1)
Iron Deposits (85)						Geomorphic	Position (D2)
Inundation Visible on Ae	rial Imager)	/ (B7)				Shallow Aqu	itard (D3)
Water-Stained Leaves (6	19)					Microtopogn	aphic Relief (D4)
Aquatic Fauna (B13)						FAC-Neutral	Test (D5)
Field Observations:		•••••		······		······	
Surface Water Present?	Yes X	No_		Depth (inches):	0		
Water Table Present?				Depth (inches):	0		***************************************
Saturation Present?				Depth (inches):	0 Wetland	Hydrology Preser	n? Yes X No
(includes capillary fringe)							
Describe Recorded Data (stre	eam gauge.	, monito	ung w	eli, aerial photos, pri	evicus inspections), if av	allable:	****
						·····	
Remarks:							
							3

### VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: Welland 10

	20	Absolute	Dominant		Dominance Test worksheet:
Tree Stratum (Plot size:	)		Species?		Number of Dominant Species
1. Betula nigra		5	No	FACW	That Are OBL, FACW, or FAC:(A)
2. Platanus occidentalis		7	Yes	FACW	Total Number of Dominant
3. Alnus serrulata		5	No	OBL	Species Across All Strata: (B)
4. Comus amomum		5	No	FACW	Percent of Dominant Species
5. Salix nigra		7	Yés	OBL	That Are OBL, FACW, or FAC: (A/B)
6					
		29	= Total Cov	er	Prevalence Index worksheet:
	50% of total cover; 17.5	20% of	total cover:	7	Total % Cover of:Multiply by:
Carolina Chakim /Distains	4 7"	20 70 OI	totas cover.		OBL species x 1 =
Sapling Stratum (Plot size: 1 Salix nigra	······································	5	Yes	OBL	FACW species x 2 =
2 Comus amomum		10	Yes	FACW	FAC species x 3 =
					FACU species x 4 =
3			***************	************************	UPL species x 5 =
4,					Column Totals: (A) (B)
5		***************************************		******************	1
6					Prevalence Index = B/A =
		15	= Total Cov	31	Hydrophytic Vegetation Indicators:
	50% of total cover: 7.5				1 - Rapid Test for Hydrophytic Vegetation
Shrub Stratum (Plot size:			(Osar odvor.	***************************************	2 - Dominance Test is >50%
	······································	2	Yes	FACW	3 - Prevalence Index is ≤3.0¹
*				***************************************	4 - Morphological Adaptations (Provide supporting
2					data in Remarks or on a separate sheet)
3					Problematic Hydrophytic Vegetation (Explain)
4				***************************************	
Б,					¹ Indicators of hydric soil and welland hydrology must
6					be present, unless disturbed or problematic.
•		2 =====================================	≈ Total Cove	∍r	Definitions of Five Vegetation Strata:
	50% of total cover: 1	20% of	total cover:	0.4	•
Herb Stratum (Plot size:	jui.				Tree –.Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and 3 in.
4 Gallium asprellum	······································	10	No	OBL	(7.6 cm) or larger in diameter at breast height (DBH).
2. Carex lurida	***************************************	20	Yes	OBL	
3. Juncus canadensis		15	Yes	OBL	Sapling - Woody plants, excluding woody vines,
		2	No	FACW	approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.
4, Mentha arvensis		***************************************		***************************************	
5, Phragmites australis	***************************************	2	No	FACW	Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.
6. Equisetum arvense	·····	5	No	FAC	approximately 3 to 20 ft (1 to 0 ft) if neight.
7		***************************************	••••	***************************************	Herb - All herbaceous (non-woody) plants, including
8	***************************************	***************************************	***************************************	***************************************	herbaceous vines, regardless of size, and woody
9,					plants, except woody vines, less than approximately 3 ft (1 m) in height.
10					
11					Woody vine - All woody vines, regardless of height.
		pro di	Total Cove	31	
	man	***************************************			
	50% of total cover: 27	20% of	total cover:	30.6	
Woody Vine Stratum (Plot size	):)				
1N/A			***************************************		
2		***************************************	***************************************		
3					
4					
5					
	***************************************		Total Cove		Hydrophytic Vegetation
	E80/ /				Present? Yes No
	50% of total cover:	2004 Af	tatal agricar		***************************************
	Ob 70 Or Lotter Bo 4 Or .	207001	total cover.		
Remarks: (Include photo numb	pers here of on a separate s		iolai cover.		

Page 75 of 81 Sampling Point: Wetland 10

Depth	Matrix	%	Redo	x Feature	S		oro . : . ·	, .
(inches) 0-4	Color (moist) 10YR 2/2	<u>70</u>	Color (moist)	%	Type ¹	Loc²	Texture	Remarks
	***************************************					***************************************	***************************************	Organics
4-8	10YR 3/1	<u>95</u> 	10YR 5/8	5	<u>C</u>			mottling, red dog in layer
	oncentration, D=Dept	etion, RM=	Reduced Matrix, MS	= =Masked	Sand Gra	ins.		L=Pore Lining, M=Matrix.
	Indicators:							ators for Problematic Hydric Soils ³
Black His Hydroge Stratified 2 cm Mu Depleted Thick Da Sandy M	pipedon (A2)		Dark Surface Polyvalue Be Thin Dark Su Loamy Gleye Depleted Mat X Redox Dark S Depleted Dar Redox Depre Iron-Mangane	fow Surface (S9) d Matrix (I rix (F3) Surface (F6) k Surface ssions (F6) ese Masse 3)	(MLRA 1- F2) 6) (F7) 8) es (F12) (L	47, 148) RR N,	148) 6	com Muck (A10) (MLRA 147) Coast Prairie Redox (A16) (MLRA 147, 148) Piedmont Floodplain Soils (F19) (MLRA 136, 147) /ery Shallow Dark Surface (TF12) Other (Explain in Remarks)
Sandy R	edox (S5)		Umbric Surfa	odplain So	oils (F19) <b>(</b>	MLRA 14	3) we	licators of hydrophytic vegetation and etland hydrology must be present,
_ Sandy Ri _ Stripped	edox (S5) Matrix (S6)			odplain So	oils (F19) <b>(</b>	MLRA 14	3) we	
_ Sandy Ro _ Stripped estrictive L	edox (S5) Matrix (S6) .ayer (If observed):		Piedmont Flo	odplain So	oils (F19) <b>(</b>	MLRA 14	3) we	etland hydrology must be present,
Sandy Ri _ Stripped estrictive L Type:	edox (S5) Matrix (S6) .ayer (if observed):		Piedmont Flo Red Parent N	odplain So	oils (F19) <b>(</b>	MLRA 14	3) we ) un	etland hydrology must be present, lless disturbed or problematic.
Sandy Ri Stripped estrictive L Type: Depth (inc	edox (S5) Matrix (S6) .ayer (if observed):	•••••••••••••••••••••••••••••••••••••••	Piedmont Flo	odpłain So lateriał (F:	oils (F19) <b>(</b>	MLRA 14	3) we ) un	etland hydrology must be present,
Sandy Ri Stripped strictive L Type: Depth (inc	edox (S5) Matrix (S6) .ayer (if observed):	•••••••••••••••••••••••••••••••••••••••	Piedmont Flo	odpłain So lateriał (F:	oils (F19) <b>(</b>	MLRA 14	3) we ) un	etland hydrology must be present, lless disturbed or problematic.
Sandy Ri Stripped strictive L Type: Depth (inc	edox (S5) Matrix (S6) .ayer (if observed):	•••••••••••••••••••••••••••••••••••••••	Piedmont Flo	odpłain So lateriał (F:	oils (F19) <b>(</b>	MLRA 14	3) we ) un	etland hydrology must be present, lless disturbed or problematic.
Sandy Ri Stripped strictive L Type: Depth (inc	edox (S5) Matrix (S6) .ayer (if observed):	•••••••••••••••••••••••••••••••••••••••	Piedmont Flo	odpłain So lateriał (F:	oils (F19) <b>(</b>	MLRA 14	3) we ) un	etland hydrology must be present, lless disturbed or problematic.
Sandy Ri Stripped strictive L Type: Depth (inc	edox (S5) Matrix (S6) .ayer (if observed):	•••••••••••••••••••••••••••••••••••••••	Piedmont Flo	odpłain So lateriał (F:	oils (F19) <b>(</b>	MLRA 14	3) we ) un	etland hydrology must be present, lless disturbed or problematic.
Sandy Ri Stripped strictive L Type: Depth (inc	edox (S5) Matrix (S6) .ayer (if observed):	•••••••••••••••••••••••••••••••••••••••	Piedmont Flo	odpłain So lateriał (F:	oils (F19) <b>(</b>	MLRA 14	3) we ) un	etland hydrology must be present, lless disturbed or problematic.

# Page 76 of 81 WETLAND DETERMINATION DATA FORM – Eastern Mountains and Piedmont Region

Project/Site: C18-214-2276			City	y/County: Fayette		Sampling Date: 5/16/18			
Applicant/Owner Weston So	lutions					Sampling Point: Wetland B			
Investigator(s):			Se	ction, Township, Range:		, ,			
Landform (hillslope, terrace, e	etc):	•••••				Slope (%):			
Subregion (LRR or MLRA):	RRN			Long: 37.975512 Datum: NAD27					
Soil Map Unit Name: Layland	-Laidig com	olex	·····		NWI riaccifi	cation: Not Mapped			
Are climatic / hydrologic cond			for this time of very	Vac X No	(If no, explain in I				
Are Vegetation Soil _						present? Yes X No			
• • • • • • • • • • • • • • • • • • • •									
Are Vegetation Soil _	or m	yarology	naturally proble	matic? (ir needed, t	explain any answ	ars in Kemarks.)			
SUMMARY OF FINDIN	IGS – Atl	ach site	map showing sa	ampling point location	ons, transect	s, important features, etc.			
Hydrophytic Vegetation Pres	drophytic Vegetation Present? Yes X No			Is the Sampled Area					
Hydric Soil Present?			No	within a Wetland?	Yes X	No			
Wetland Hydrology Present	?		No		Someonecon	***************************************			
Remarks	•								
1									
		***************************************							
HYDROLOGY									
Wetland Hydrology Indica						ators (minimum of two required)			
Primary Indicators (minimum	of one is re	equired; che				Cracks (86)			
Surface Water (A1)			_ True Aquatic Plant			getated Concave Surface (88)			
High Water Table (A2)		••••	_ Hydrogen Sulfide (			atterns (B10)			
Saturation (A3)		****		eres on Living Roots (C3)	Moss Trim t				
Water Marks (B1)			_ Presence of Reduc	ced Iron (C4)	Dry-Season	Water Table (C2)			
X Sediment Deposits (B2)		*****	_ Recent Iron Reduc	tion in Tilled Soils (C6)	) Crayfish Burrows (C8)				
Drift Deposits (B3)			_ Thin Muck Surface	•		fisible on Aerial Imagery (C9)			
Algal Mat or Crust (84)		••••	_ Other (Explain in R	temarks)	Stunted or S	itressed Plants (D1)			
Iron Deposits (65)						: Position (D2)			
Inundation Visible on As	rial Imagery	(87)			Shallow Aqu	itard (03)			
Water-Stained Leaves (	B9)				Microtopographic Relief (D4)				
Aquatic Fauna (813)					FAC-Neutra	l Test (D5)			
Field Observations:		***************************************							
Surface Water Present?	Yes	No	Depth (inches):						
Water Table Present?	Yes	No	Depth (inches):						
Saturation Present?	Yes	No	Depth (inches):	Wetland h	lydrology Prese	nt? Yes ^X No			
(includes capillary fringe)									
Describe Recorded Data (str	eam gauge	monitoring	well, aerial photos, p	revious inspections), <b>if a</b> va	ilable:				
Remarks:									
Wetland B is over 2	:0 outsic	e top of	bank, Stream	iside edaes locate	d only				
		***************************************		<b>₩</b>	*				
						***************************************			
						vv			

## VEGETATION (Five Strata) – Use scientific names of plants.

Sampling Point: Wetland B

The Stanton (District)	30 v	Absolute	Dominant		Dominance Test worksheet:
Tree Stratum (Plot size: 1 Platanus occidentalis	)	% Cover	Species? No	FACW	Number of Dominant Species
_ ' '					That Are OBL, FACW, or FAC:(A)
			Yes	OBL	Total Number of Dominant
3					Species Across All Strata: (B)
4					Percent of Dominant Species
5					That Are OBL, FACW, or FAC: (A/B)
6	***************************************				The state of the s
		40 :	= Total Cov	er	Prevalence Index worksheet:
	50% of total cover: 15	20% of	total cover:	6	Total % Cover of:Multiply by:
Sapling Stratum (Plot size:				***************************************	OBL species x 1 =
1 Comus amomum		10	Yes	FACW	FACW species x 2 =
2 Salix nigra		5	Yes	OBL	FAC species x 3 =
			***************************************	***************************************	FACU species x 4 =
3					UPL species x 5 =
4					Column Totais: (A) (B)
5			•	***************************************	Dravalance leder w D/A w
6	***************************************		Total Cove		Prevalence Index = B/A = Hydrophytic Vegetation Indicators:
		***************************************			1 · · · · · · · · · · · · · · · · · · ·
	50% of total cover. 7.5	20% of	total cover:	3	1 - Rapid Test for Hydrophytic Vegetation
Shrub Stratum (Plot size:					2 - Dominance Test is >50%
1					3 - Prevalence Index is ≤3.0¹
2					4 - Morphological Adaptations (Provide supporting data in Remarks or on a separate sheet)
3					l in the second of the second
					Problematic Hydrophytic Vegetation¹ (Explain)
5					1
					Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.
		=			
	COOL - 14-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-				Definitions of Five Vegetation Strata:
	50% of total cover:	20% of i	total cover:		Tree - Woody plants, excluding woody vines.
Herb Stratum (Plot size:  1 Mentha arvensis	5}}	40	Van	O.D.I	approximately 20 ft (6 m) or more in height and 3 in.
· ·		5 5	Yes	OBL	(7.6 cm) or larger in diameter at breast height (DBH).
					Sapling - Woody plants, excluding woody vines,
3					approximately 20 ft (6 m) or more in height and less than 3 in. (7.6 cm) DBH.
4		***************************************			than 3 lit. (7.0 cm) DBN.
5					Shrub - Woody plants, excluding woody vines.
6				***************************************	approximately 3 to 20 ft (1 to 6 m) in height.
7					Herb - All herbaceous (non-woody) plants, including
8					herbaceous vines, regardless of size, and woody
9					plants, except woody vines, less than approximately 3 ft (1 m) in height.
10					ir (1 ist) signer@rir
11,			***************************************		Woody vine - All woody vines, regardless of height.
	······································	45	Total Cove	·····	
	50% of total cover: 22.5	20% of t	otal cover:	9	
<u> Woody Vine Stratum</u> (Plot size	30 )				
1					
2	***************************************	anno income anno anno anno anno anno anno anno ann		*************	
3					
4,					
······································	***************************************		Total Cove	·r	Hydrophytic
	MAAL . Y	***************************************			Vegetation Present? Yes X No
	50% of total cover:		otal cover:_		
Remarks: (Include photo numb	ers here or on a separate s	heet.)			

Page 78 of 81
Sampling Point: Wetland B

Profile Desc Depth	cription: (Describe t Matrix	to the depth		n <b>ent the</b> ir x Features		or contirm	the absence	or indicators.)
(inches)	Color (moist)	%	Color (moist)	<u> </u>	Type ¹	<u>Loc²</u>	Texture	Remarks
0-12	10YR 3/1	95	10YR 5/8	5	С	PL		
		·						
	***************************************	`						
						·		
	***************************************							
						***************************************	***************************************	
	***************************************	***************************************	***************************************	, *************************************				
				***************************************	<del></del>	<u></u>		
	HERENE MARKET CONTRACTOR OF THE PARTY OF THE			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				
					****	***************************************		
¹Type: C=Cr	oncentration, D=Depl	etion RM=R	educed Matrix MS	C=1/lasked	Sand Gr	ains	2) ocation: P	L=Pore Lining, M=Matrix.
Hydric Soil I		etion, trialen	COUCCU MAINA, MI	>~1V(03NCU	Oana Or	21110.		ators for Problematic Hydric Soils ³ :
Histosol			Dark Surface	(\$7)				cm Muck (A10) (MLRA 147)
	sipedon (A2)		Polyvalue Be		e (S8) (N	ILRA 147.		Coast Prairie Redox (A16)
Black His			Thin Dark Su				· · · /	(MLRA 147, 148)
	n Sulfide (A4)		Loamy Gleye			•	F	Piedmont Floodplain Soils (F19)
	Layers (A5)		Depleted Mat	rix (F3)				(MLRA 136, 147)
	ck (A10) (LRR N)		X Redox Dark S					ery Shallow Dark Surface (TF12)
	l Below Dark Surface	(A11)	Depleted Dar				C	Other (Explain in Remarks)
	rk Surface (A12)	m, m, a s	Redox Depre			nn x		
	lucky Mineral (S1) (L v 147, 148)	KK N,	Iron-Mangane MLRA 13		\$ (M12) <b>(</b> 1	LKK N,		
	leyed Matrix (S4)		Umbric Surfa		#I RA 13	6 122)	³ Ind	licators of hydrophytic vegetation and
	edox (S5)		Piedmont Flo					etland hydrology must be present.
Stripped			Red Parent N					less disturbed or problematic.
	ayer (if observed):	***************************************	***************************************	***************************************	······································	······································		· · · · · · · · · · · · · · · · · · ·
Type:								
	:hes):						Hydric Soil	Present? Yes X No
Remarks:			·······				J	**************************************
, (2) ((2) ((2)								
							•••••	

# Page 79 of 81

## WETLAND DETERMINATION DATA FORM – Eastern Mountains and Piedmont Region

Project/Site: C18-214-2276		City	//County: <u>Fayette</u>		Sampling Date: 5/15/18		
Applicant/Owner: Weston Solutions				State: WV	Sampling Point: Wetland C		
Investigator(s):	***************************************	Sec	ction, Township, Range: M		, ,		
Landform (hillslope, terrace, etc.): Terra	C®				Sione (%): 0		
			Long: <u>37.</u> 9		Datum: NAD27		
Soil Map Unit Name: Layland-Laidig con		······································			ication: Not Mapped		
Are climatic / hydrologic conditions on th		Earthie time of war	Van X Ka	(If no, explain in			
					present? Yes X No		
Are Vegetation, Soil or I							
Are Vegetation, Soil or I	typrology	naturally proble	matic? (if needed, i	explain any answ	ers in Kemarks.)		
SUMMARY OF FINDINGS - At	tach site	map showing sa	impling point location	ons, transect	s, important features, etc.		
Hydrophytic Vegetation Present?	Yes X	No	Is the Sampled Area				
Hydric Soil Present?		No	within a Wetland?	Yes X	No		
Wetland Hydrology Present?	Yes X	No					
Remarks:			<u>k</u>				
HYDROLOGY							
Wetland Hydrology Indicators:				Secondary India	ators (minimum of two required)		
Primary Indicators (minimum of one is	andrad aka	Adams to de line da.		Surface Soi			
	<u>Sumina, om</u>						
Surface Water (A1)	******	_ True Aquatic Plants		Sparsely Vegetated Concave Surface (B8) Drainage Patterns (B10)			
High Water Table (A2)	*****	Hydrogen Sulfide C					
X Saturation (A3)	****	***	eres on Living Roots (C3)				
Water Marks (B1)	****	_ Presence of Reduc			Water Table (C2)		
Sediment Deposits (82)	****		tion in Tilled Scils (C6)	Crayfish Burrows (C8)			
Drift Deposits (B3)		_ Thin Muck Surface			Asible on Aerial Imagery (C9)		
Algal Mat or Crust (84)	****	_ Other (Explain in R	emarks)	Stunted or Stressed Plants (D1)			
Iron Deposits (B5)					Position (D2)		
Inundation Visible on Aerial Imager	y (Β/)			Shallow Aq			
Water-Stained Leaves (89)				*	raphic Relief (D4)		
Aquatic Fauna (B13)	onnonaennonnonnaennaenaenaenaenaenaenaenaenaenaenaena	••••••••••••••••••••••••••••••••••••••		FAC-Neutra	ii lest (DO)		
Field Observations:	¥	Markov 200 300 15					
		Depth (inches):					
		Depth (inches):			Ų		
Saturation Present? Yes	<u> No</u>	Depth (inches)	Wetland h	fydrology Prese	nt? Yes X No No		
Describe Recorded Data (stream gauge	, monitoring	well, aerial photos, p	revious inspections), if ava	ilable:			
Remarks:							
Overbank flows and road r	unoff on	tar nanvav wat	Hand				
Overbarik nows and road r	union on	CO COMPON WO	uana				

# VEGETATION (Five Strata) – Use scientific names of plants.

Page	80 of 81
Sampling	Point: Wetland C
orksheet:	

To a Charles (Pilat sine)	30	Absolute	Dominant		Dominance Test worksheet:	
Tree Stratum (Plot size:		2	Species? Yes	OBL OBL	Number of Dominant Species That Are OBL, FACW, or FAC:	(A)
				***************************************	That Are OBL, FACW, or FAC:	(M)
2,					Total Number of Dominant	(m)
3					Species Across All Strata:	(B)
4					Percent of Dominant Species	
5					That Are OBL, FACW, or FAC:	(A/B)
6,			= Total Cov		Prevalence Index worksheet:	
					Total % Cover of: Multiply by:	
	50% of total cover: 1	20% of	total cover:	0.4	OBL species x1 =	
Sapling Stratum (Plot size:	)				FACW species x 2 =	
					FAC species x 3 =	
2					FACU speciesx4 =	***
3,					UPL species x 5 =	
4,					Column Totals: (A)	(B)
5						
6					Prevalence Index = B/A =	···
			= Total Cov	er	Hydrophytic Vegetation Indicators:	
	50% of total cover:	20% of	total cover:		1 - Rapid Test for Hydrophytic Vegetation	
Shrub Stratum (Plot size:	15				2 - Dominance Test is >50%	
1					3 - Prevalence Index is ≤3.01	
2					4 - Morphological Adaptations ¹ (Provide supp data in Remarks or on a separate sheet)	orting
3					Problematic Hydrophytic Vegetation¹ (Explain	n)
5,						
6			***************************************	***************************************	¹Indicators of hydric soil and wetland hydrology m be present, unless disturbed or problematic.	ust
			= Total Cov	er	Definitions of Five Vegetation Strata:	***************************************
	50% of total cover:				_	
Under Charteren /Dist sime	<b>*</b>	ZU78 VI	total cover.	~~~~	Tree - Woody plants, excluding woody vines.	
Herb Stratum (Plot size:	!	8	No	FACW	approximately 20 ft (6 m) or more in height and 3 (7.6 cm) or larger in diameter at breast height (DB	
- Solidago canadoncia		15	No	FACU		,.
3. Juncus effusus		20	Yes	FACW	Sapling - Woody plants, excluding woody vines, approximately 20 ft (6 m) or more in height and le	ec .
Typha latifolia		20	Yes	OBL	than 3 in. (7.6 cm) DBH.	55
5. Mentha arvensis		20	Yes	OBL.	Charles the control of the control o	
		15	No	NL	Shrub – Woody plants, excluding woody vines, approximately 3 to 20 ft (1 to 6 m) in height.	
6. Poa spp.			***************************************	***************************************		
7,					Herb - All herbaceous (non-woody) plants, includ herbaceous vines, regardless of size, and woody	ing
8				***************************************	plants, except woody vines, less than approximate	ely 3
9					ft (1 m) in height.	
10			***************************************	***************************************	Woody vine - All woody vines, regardless of heig	jht.
11,			~	·····		
			= Total Cov			
	50% of total cover: 45	20% of	total cover:	38		
Woody Vine Stratum (Plot size	3;)					
1						
2			*************************			
3						
5				***************************************	Hydrophytic	
			= Total Cov	er	Vegetation	
	50% of total cover:	20% of	total cover:		Present? Yes X No	
Remarks: (Include photo numb		~~~~	***************************************			
Astronomy business (1990)						

Page 81 of 81
Sampling Point: Wetland C

Profile Desc	ription: (Describe t	o the depth	needed to docu	ment the i	ndicator	or confirm	n the abser	nce of indicators.)
Depth	<u>Matrix</u>		Redo	x Features		······×		
(inches)	Color (moist)	<u>%</u>	Color (moist)	%	_Type ¹ _	<u>Loc²</u>	Texture	Remarks
0-8	10YR 2/1	95	10YR 5/8	5	С	PL	loam	
**************************************		***************************************			*****************		A	
	·			************	***************************************	***************************************	***************************************	
	***************************************		***************************************	***************************************	***************************************			
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		***************************************		***************************************		****
				***************************************				
	<del></del>			***************************************		***************************************	***************************************	
***************************************	***************************************	**************************************	***************************************		***************************************	***************************************	***************************************	
				***************************************				
						•		
¹ Type: C=Co	ncentration, D=Depl	etion. RM=Re	educed Matrix, M	S=Masked	Sand Gra	ains.	² Location:	PL=Pore Lining, M=Matrix.
Hydric Soll II			/ / / / / / / / / / / / / / / / / / / /	- (1,00,100		:		dicators for Problematic Hydric Soils ³ :
Histosol (			Dark Surface	(S7)				2 cm Muck (A10) (MLRA 147)
	pedon (A2)	•	Polyvalue Be		e (S8) (N	ILRA 147.	148)	Coast Prairie Redox (A16)
Black His			Thin Dark Su				,	(MLRA 147, 148)
Hydroger	ı Sulfide (A4)		Loamy Gleye			,	***************************************	Piedmont Floodplain Soils (F19)
	Layers (A5)		Depleted Ma	trix (F3)				(MLRA 136, 147)
	k (A10) (LRR N)		Redox Dark					Very Shallow Dark Surface (TF12)
	Below Dark Surface		Depleted Dar				******	Other (Explain in Remarks)
	k Surface (A12)		Redox Depre					
	ucky Mineral (S1) (LI	RRN,	Iron-Mangan		s (F12) (I	LRR N,		
	147, 148)		MLRA 13		at ma an	*****	3.	Paulling and the Control of the Cont
Sandy Gi	eyed Matrix (\$4)	•	Umbric Surfa Piedmont Flo					Indicators of hydrophytic vegetation and
	Matrix (S6)	-	Pledmont Flo Red Parent N					wetland hydrology must be present, unless disturbed or problematic.
	ayer (If observed):	`w	Treas alent i	verena (i v	. 1) (199 (6) 1)	m (&), 174	<i>)</i>	unless distribed or problematic.
Type:								
							13	X X
	nes):		<b></b>				Hyanc 5	oil Present? Yes X No
Remarks:								
						*		